

CATALOG

SHENZHEN FOCUS LIGHTING CO., LTD

PRODUCTS FOR JEWELRY STORE



Shenzhen Focus Lighting Co., Ltd.

Add: 601, No. 10, Huanguan South Road, Junzibu Community, Guanlan Street
Longhua District, Shenzhen City, Guangdong, China

Email: info@fi-sz.com

Tel: 0086-15219502021

Web: www.fi-sz.com

JEWELRY LIGHTING

Lighting for gate



LED lighting for gate headlight

Model : FMU-3030-56D

CCT : OSRAM 2700K-6500K

Input Voltage : 110/220VAC

Power : 40W/60W

Lumen : 4800-7200lm

Beam Angle : 70°*150°

Dimension : L290*W100*H55mm

Cut hole : L270*W85mm



PAR30 / PAR38 for diamond



PAR30 24 LEDs Diamond Light


Model : P9120G-G035W
CCT : 10000K for diamond
OSRAM 2700K-6500K
Input Voltage : 110/220VAC
Power : 35W
Lumen : 2800-3100lm
Beam Angle : 15°, 25°, 45°, 60°
Dimension : Dia95*H120mm
Base : E26, E27



PAR38 42 LEDs Diamond Light

Model : P1213L-G60W
CCT : 10000K for diamond
OSRAM 2700K-6500K
Input Voltage : 110/220VAC
Power : 60W
Lumen : 4600-5000lm
Beam Angle : 15°, 25°, 45°, 60°
Dimension : Dia120*H137mm
Base : E26, E27

PAR30 / PAR38 application:



Recessed spotlight for jewelry



4C 16 LEDs Ceiling Jewelry Light

Model : FTH-3535-32W-4C
CCT : OSRAM 2700K-6500K
Input Voltage : 110/220VAC
Power : 36W
Lumen : 3300-3600lm
Beam Angle : 15°
Dimension : Dia160*H100mm
Cut hole : Dia140-145mm



6F 42 LEDs Ceiling Jewelry Light

Model : FTH-42A36W-6F
CCT : OSRAM 2700K-6500K
Input Voltage : 110/220VAC
Power : 36W
Lumen : 4300-4600lm
Beam Angle : 15°
Dimension : Dia160*H95mm
Cut hole : Dia140-145mm





B21 LEDs Ceiling Jewelry Light

Model : FTH-21K42W-B
 CCT : OSRAM 2700K-6500K
 Input Voltage : 110/220VAC
 Power : 42W
 Lumen : 4300-4600lm
 Beam Angle : 15°
 Dimension : Dia170*H107mm
 Cut hole : Dia140-155mm




E18 LEDs Ceiling Jewelry Light

Model : FTH-18K36W-E1
 CCT : OSRAM 2700K-6500K
 Input Voltage : 110/220VAC
 Power : 36W
 Lumen : 3900-4300lm
 Beam Angle : 15°
 Dimension : Dia170*H100mm
 Cut hole : Dia145-155mm



12+6 LEDs Ceiling Jewelry Light

Model : FTH-12N6K36W-B
 CCT : OSRAM 2700K-6500K
 Input Voltage : 110/220VAC
 Power : 36W
 Lumen : 3800-4200lm
 Beam Angle : 15°, 25°, 30°
 Dimension : Dia160*H100mm
 Cut hole : Dia140-145mm





adjustable

C18 LEDs Ceiling Jewelry Light

Model : FTH-18K36W-C
 CCT : OSRAM 2700K-6500K
 Input Voltage : 110/220VAC
 Power : 36W
 Lumen : 3900-4300lm
 Beam Angle : 15°, 25°, 30°
 Dimension : Dia175*H85mm
 Cut hole : Dia155-160mm



adjustable


A18 LEDs Ceiling Jewelry Light

Model : FTH-18K36W-A
 CCT : OSRAM 2700K-6500K
 Input Voltage : 110/220VAC
 Power : 36W
 Lumen : 3900-4300lm
 Beam Angle : 15°
 Dimension : Dia170*H105mm
 Cut hole : Dia145-155mm




Light bar for showcase


3030 OSRAM SMD light bar, 40 LEDs/meter, 15W/meter



2835 SMD light bar, 176 LEDs/meter, 21W/meter



2835 SMD CCT changeable light bar, 168 LEDs/meter, 21W/meter



Aluminum profile for jewelry:

